

INDEX MAPS.

**T.7N R.1W 2<sup>nd</sup> Mer.**

	201	200	200	200	199	199						
203	6	221	5	218	4	214	3	210	2	207	1	196
	222	221		217		214		210		206		
202	7	201	8	217	9	213	10	210	11	206	12	196
	222	220		217		213		209		206		
202	18	220	17	217	16	213	15	209	14	205	13	196
	223	220		216		212		209		205		
201	19	219	20	216	21	212	22	208	23	205	24	195
	223	219		215		212		208		204		
201	30	219	29	215	28	211	27	208	26	204	25	195
	223	218		215		211		207		204		
201	31	218	32	214	33	211	34	207	35	203	36	195
	199	198		198		198		197		197		

**T.8N R.1W 2<sup>nd</sup> Mer.**

	231	230	230	230	229	229						
233	6	250	5	247	4	243	3	240	2	236	1	229
	250	250		247		243		239		236		
232	7	250	8	246	9	243	10	239	11	236	12	228
	251	250		246		242		239		235		
232	18	250	17	246	16	242	15	238	14	235	13	228
	251	249		245		242		238		235		
232	19	249	20	245	21	241	22	238	23	234	24	227
	251	249		245		241		237		234		
231	30	248	29	244	28	240	27	237	26	234	25	227
	252	248		244		240		237		233		
231	31	247	32	244	33	240	34	237	35	233	36	226
	226	226		226		225		225		225		

The figures on the lines refer to the page.

Township N<sup>o</sup> 8 North of Range N<sup>o</sup> 1 W. 2<sup>nd</sup> Mer. Ind.  
Ch. Wks South Boundary.

April 2<sup>nd</sup> 1811.

West From the cor of Towne 718 N<sup>o</sup> 1 E 117<sup>th</sup> 2<sup>nd</sup> of the South side of sw 36. T. N<sup>o</sup> 8 R. N<sup>o</sup> 1 W.

40.00 Set a post for the cor to 1/4 sec. from which a W. Oak 10 in. dia bears N 83<sup>o</sup> W. 30 links dist; & a 10 in dia 18 in " " N 83<sup>o</sup> E. 19 in " "

42.00 To a Brook 8 links wide; course S. E.

80.00 Set a post for the cor to sec. 35. 136 T. N<sup>o</sup> 8 R. N<sup>o</sup> 1 W. from which a Hewitt 3 in dia bears N 62<sup>o</sup> E. 3 links dist; & a W. Oak 20 in " " N 32<sup>o</sup> W 18 in " " Per Hilby Oak, lands:

West On the South bounds of sw 35. T. N<sup>o</sup> 8 R. N<sup>o</sup> 1 W.

39.00 To a Brook 25 links wide; course South.

40.00 Set a post for the cor. to 1/4 sec. from which a Butternut 6 in. dia bears N 57<sup>o</sup> W 10 links dist; & a W. 4 Buck 3 in " " S 59<sup>o</sup> E 14 in " "

80.00 Set a post for the cor. to sec. 34 & 35 T. N<sup>o</sup> 8 R. N<sup>o</sup> 1 W. from which a 4 Buck 5 in dia bears N 72<sup>o</sup> W 11 links dist; and a Hewitt 11 in " " S 46<sup>o</sup> 21 in " " Lands including front; Timber Buck. Sugar &c.

West On the South Boundary of Sec. 34 T. N<sup>o</sup> 8 R. N<sup>o</sup> 1 W.

13.50 To a Brook 8 links wide; course N. E.

40.00 Set a post for the cor. to 1/4 sec. from which a Sugar 14 in. dia bears N 31<sup>o</sup> E. 10 links dist; & a 4 Buck 4 in " " S 45<sup>o</sup> W 25 in " "

80.00 Set a post for the cor. to sec. 33 & 34 T. N<sup>o</sup> 8 R. N<sup>o</sup> 1 W. from which a Sugar 18 in. dia bears N 35<sup>o</sup> W. 27 links dist; & a Buck 10 in " " S 28<sup>o</sup> E 5 in " " Lands same as the last mile

T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 177. 2<sup>nd</sup> Mer. (Sud.)

- West On the South Boundary of sw 33 T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 177.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Hickory 8 in. dia bears N42<sup>o</sup> W. 12<sup>o</sup> ticks north; t w  
 Buck 9 n ~ ~ S44<sup>o</sup> E 26 n ~  
 57.50 To a Brook 10<sup>o</sup> ticks wide; Course South.  
 80.00 Set a post for the cor. to sec. 32, 33. T. N<sup>o</sup> 8 N.  
 R. N<sup>o</sup> 177. From which a Buck 14 in. dia bears  
 N80<sup>o</sup> E. 7 ticks north; t w Sugar 10 n ~ ~  
 S45<sup>o</sup> W 20 n ~ ~ Sand Spruce; Timber,  
 Buck, W. Oak, Hickory &c

- West On the South Boundary of sec. 32, T. N<sup>o</sup> 8. N. R. N<sup>o</sup> 177.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Hickory 13 in. dia bears N54<sup>o</sup> E. 6 ticks north; t w  
 Dogwood 4 n ~ ~ S27<sup>o</sup> W 23 n ~  
 66.50 To a Brook 8 ticks wide; Course South.  
 80.00 Set a post for the cor. to sec. 31. & 32. T. N<sup>o</sup> 8 N.  
 R. N<sup>o</sup> 177. From which a Buck 4 in. dia bears  
 S70<sup>o</sup> E. 12 ticks north; t w Buck 4 n ~ ~  
 West 13 n ~ ~; Buck lands; spruce.

- West On the South Boundary of sec. 31. T. N<sup>o</sup> 8 N.  
 R. N<sup>o</sup> 177.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Sugar 6 in. dia bears N52<sup>o</sup> E. 3 ticks north; t w  
 Do 4 n ~ ~ S65<sup>o</sup> W 16 n ~  
 56.50 To a Brook 75 ticks wide; Course S. E.  
 80.00 Set a temporary post for the cor. to Town 7 & 8  
 N. R. 112. W. Sand rich and level; Timber.  
 Sugar, Oak, Walnut;

East Boundary: 2<sup>nd</sup> Meridian  
 North On the 2<sup>nd</sup> Mer. East Boundary of sw. 36. T. N<sup>o</sup> 8 N.  
 R. N<sup>o</sup> 177.

T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 177. 2<sup>nd</sup> Mer (S. a. c.)

- 15.00 To a Brook 4 miles wide; course E.
- 25.00 " " " 4 " " " " E.
- 40.00 Set a post for the cor to 74 Sec. from which a  
Track 24 in. in beam N 38 E. 12 miles dist; & a  
Innwoods 9 " " " S 38 77 02 " "
- 65.00 To a Brook 4 miles wide course E.
- 70.00 " " " 211 " " " " S. E.
- 80.00 Set a post for the cor to sec. 25 136. T. N<sup>o</sup> 8 N.  
R. N<sup>o</sup> 177. from which a Sugar 12 in. dia beam.  
S 78 77. 25 miles dist; & a Lycopodium 36 " " "  
N 87 E. 25 " " " " " " " " Timber (Oak)

North On the 2<sup>nd</sup> Mer. East side of sec 25. T. N<sup>o</sup> 8 N. R.  
N<sup>o</sup> 177

- 100 To a Brook 40 miles wide; course S. W.
- 15.00 " " " " " " " " S. E.
- 35.00 " " " " " " " " S. W.
- 40.00 Set a post for the cor to 74 Sec. in a Brook from  
which a Sugar 16 in. dia beam East 15 the dist;  
Up the Brook to the West.
- 45.00 To a Brook 6 miles wide; course S. W.
- 80.00 Set a post at the cor for sec. 24 & 25 T. N<sup>o</sup> 8 N.  
R. N<sup>o</sup> 177 from which a Sugar 10 in. dia beam  
N 50 E. 16 miles dist; & a Dogwood 4 " " "  
S 76 W. 23 " " " " Bottom land; Timber  
Sugar, Buck, Elm, &c

North On the 2<sup>nd</sup> Mer. East side of sec. 24 T. N<sup>o</sup> 8 N.  
R. N<sup>o</sup> 177.

- 15.00 To a Brook 6 miles wide; course S. W.
- 40.00 Set a post for the cor. to 74 Sec. from which a  
W. Oak 24 in. in beam S 82 77. 6 miles dist; & a  
Maple 8 " " " " S 78 E. 5 " "
- 50.00 To a Brook 6 miles wide; course S. W.
- 57.30 " " Sugar 16 in. dia stands in the line.
- 55.00 To a Brook - 1/2 mile wide; course S. E.





T. N. 8 N.R. No. 177. 2<sup>nd</sup> Sec. (Ch. 10)

80.00 Set a post for the cor. to Sec. 34 & 35 T. N. 9 N.  
R. No. 177. from which a 7 Buck 12 in. dia. beam  
S 38 N. 31 links dist; & a Do 11 " " "  
N 8 E 13 " " "  
Lands & soil timber & so forth same as on the last mile

---

West On the South Boundary of Sec. 34 T. N. 9 N.R.  
No. 177.

40.00 Set a post for the cor. to Sec. 34. From which a  
Log 14 in. dia beam N 66 N. 21 links dist; & a  
Do 5 " " " S 40 E. 22 " " "

71.00 To a Post to 12 links side; Course N.W.

80.00 Set a post for the cor. to Sec. 33 & 34 T. N. 9 N.  
R. No. 177. from which a 7 Buck 5 in. dia beam  
N 39 N. 25 links dist; under 7 Buck 16 in " "  
S 48 E. 35 " " " Lands & soil as with  
Timber Log & Oak;

---

West On the South Boundary of Sec. 33. T. N. 9 N.R. No. 177

40.00 Set a post for the cor. to Sec. 34. From which a  
Log 14 in. dia beam N 69 E. 10 links dist; & a  
Do 10 " " " S 65 N. 46 " " "

54.00 To a Cor. to 50 links side; Course South.

73.50 " " " 25 " " " S. E.

80.00 Set a post for the cor. to Sec. 32 & 33. T. N. 9 N.  
R. No. 177. from which a 7 Buck 20 in. dia beam  
N 22 E. 12 links dist; and a Do 36 " " "  
S 31 N. 36 " " "  
Lands & soil timber & so forth same as on the last mile.

---

West On the South Side of Sec. 32 T. N. 9 N.R. No. 177

40.00 Set a post for the cor. to Sec. 34. From which a  
Log 5 in. dia beam N 60 E. 10 links dist; & a  
Oak 14 " " " N 84 N. 18 " " "

53.50 To a Post to 20 in. dia Course S. E.

80.00 Set a post for the cor. to Sec. 31 & 32 from

T. N. 8 N.R. N. 1 W. 9<sup>th</sup> Mer. Ind.

Whit a Wood 14 in. dia bears N 72 W. 20 the dia  
and a Buck 4 n n - No E 19 n -  
First rate lands: Timber Sugar, Ash, Walnut;

- 47.00 On the South Side of Sec 31. T. N. 9 N.R. N. 1 W.
- 40.00 Set a post for the cor to 74 sec. from which a  
No Oak 16 in dia bears S 70 E. 17 miles dist; 1 a  
Logwood 3 n - - N 04 W 15 n -
- 80.00 More do the same post 201 (in 120) S. to the cor.  
for T. N. 8 W. 112 W. from which a  
Buck 13 in. dia bears N 26 E 18 miles dist; 1 a  
No Oak 16 n n - S 46 W 32 n -  
Good Oak Lands

West Boundary

- North From the cor to Towne 7. 8 N.R. 112 W.  
on the E. 1/2 part of Sec 36. T. N. 8 N.R. N. 2 W
- 15.00 To a brook 50 miles wide; hence S. E.
- 40.00 Set a post for the cor. to 74 sec. from which a  
Buck 13 in. dia bears N 60 E. 17 miles dist; 1 a  
Do 15 n - - N 40 W 15 n -
- 55.50 To an Oak 16 in. dia bears in the line.
- 80.00 Set a post for the cor. to the sec. 25 & 36 T. N. 8 N.  
R. N. 2 W. from which a Logwood 14 in. dia  
bears N 60 E. 10 miles dist; 1 a Buck 18 n n  
- S 15 W. 27 n - Lands 1<sup>st</sup> rate; Timber  
Sugar Walnut Ash, etc

- North On the East Boundary of Sec. 25. T. N. 8 N.R. N. 1 W.
- 16.50 To a brook 8 miles wide; hence East
- 28.00 n n Buck 40 in dia stands in the line.
- 40.00 Set a post for the cor to 74 sec from which a  
Sugar 13 in. dia bears S 34 E. 20 miles dist; 1 a  
Buck 8 n n - N 65 W 26 n -
- 44.00 To a brook 60 the wide hence S. E.

T. No 8 N.R. No 17. 2<sup>nd</sup> Mer. (Ind. a)

80.00 Get a post for the cor. to sec. 24 & 25 T. N. 8  
N.R. No 27. From which a Sugar 13 in dia bears  
N 55 E. 11 links north; & a " Do 14 " " "  
S 43 W. 24 " " Lando timber & some ash the  
last mile.

North On the East Boundary of sec. 24 T. N. 8 N.R. No  
27.

18.00 To a N. Oak 20 in. dia stands in the line

40.00 Get a post for the cor. to 74 sec. From which a  
Sugar 16 in. dia bears S 78 W. 14 links north; & a  
" Buck 3 " " " S 10 E 13 " "

80.00 Get a post for the cor. to sec. 13, & 24 T. N. 8. S. T.  
N. No 27. From which a Sugar 13 in. dia bears  
N 66 E. 4 links north; & a " Do 6 " " "  
N 16 W. 24 " " Lando of muddling quality  
Timber " Buck, Sugar, & Poplar.

North On the East Boundary of sec. 13. T. N. 8 N.R.  
No 27

40.00 Get a post for the cor. to 74 sec. From which a  
N Oak 16 in. dia bears S 53 W. 37 links north; & a  
" Logwood 6 " " " N 47 E 13 " "

69.00 To a Brook 8 links north; Lanna S. E.

78.00 " Sugar 13 links north in the line.

80.00 Get a post for the cor. to sec. 12 & 13. T. N. 8 N.  
R. No 27. From which a N Oak 6 in. dia bears  
N 30 W. 11 links north; & a N Oak 5 " " "  
S 66 E. 18 " " Lando 2<sup>nd</sup> rate; Timber  
Oak, & Poplar.

North On the East side of sec 13 T. N. 8 N.R. No 27.

23.50 To a Buck 14 in. dia bears stands in the line.

35.00 To a Spring run 20 links north; a Rattle Snake  
den at the head

40.00 Get a post for a cor. to 74 sec. from a Poplar 40

T. No 8 N.P. No 177. 2<sup>nd</sup> Mer.

in line bears N65 E 8 miles west, to Poplar 80  
 in " " N54 W. 24 " "  
 80.00 Set a post for the cor. to Sec. 1 & 19 T. No 8 N.P.  
 No 2 W. from which a Logwoods 4 mi. line bears  
 S60 W 7 miles west; to an N. Oak 30 " "  
 S40 E. 5 " "  
 Good Oak, lands etc

North On the East side of line 1 T. No 8 N.P. No 27  
 28.50 To a N. Oak 36 mi line stands on the line.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 N. Oak 10 in line bears S56 W. 11 miles west, to  
 Poplar 40 " " N31 E. 7 " "  
 57.50 To an N. Oak 30 mi line in the line.  
 81.00 Set a temporary post for the cor. to Town 8 & 9 N.  
 No. 10 & 7 Good grade lands. Timb. Oak.

Subdivisions

North T. Section Sec. 35 & 36. T. No 8 N.P. No 177.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Buck 15 mi. line bears N30 E. 28 miles west; to  
 Do 15 " " N31 W. 39. " "  
 80.00 Set a post for the cor. to Sec. 25, 26, 35 & 36.  
 from which a Maple 10 in. line bears N16 W 3  
 miles west; to Buck 3 " " S52 W 7  
 " "  
 Good hilly thin soil; Timb. Oak, & Hard

East On a Random line between Sec. 25 & 36.  
 40.00 Set a temporary post for the cor. to 1/4 sec.  
 49.00 To a Brook 25 miles wide; Course South.  
 80.00 Intersected the N & S line 10 miles N. of the post  
 set for the cor. to Sec. 25 & 36.  
 Good soil timber same as in the last mile.





T. No. 8 N.T. No. 177. 2<sup>nd</sup> Mer. (Ind. 2)

West True line between Sec. 12 & 13.  
 3978 $\frac{1}{2}$  Get  $\frac{1}{4}$  sec post at the corr. csk on true line  
 from which a Buck 12 N56E.8  
 Co 12 N65W27  
 79.57 Sec. Cor.

North Between Sec. 11. & 12  
 38.00 Spring. S. 77.  
 40.00 Get a  $\frac{1}{4}$  sec post from which a  
 Buck 20 in. dia N27W.24  
 Sign 10 in - N54W36  
 80.00 Get a post for cor. to Sec. 1, 2, 11, 12 from which  
 a Buck 4 N35E.4  
 Co 5 N30W11  
 Same as same

East W corner between 1 & 2  
 40.00 Get corner  $\frac{1}{4}$  sec post  
 78.70 Into section the N.P.S. line 44 links South of the  
 Sec. Cor. Same as same

West On a true line between 1 & 2  
 3935 Get  $\frac{1}{4}$  sec post at corr. csk; on the true line  
 from which a Buck 5 N76E7  
 Co 6 S70W20  
 78.70 Sec. Cor.

North Between 1 & 2  
 40.00 Get  $\frac{1}{4}$  sec post from which on  
 Ironwood 3 in dia N40E.15  
 Sign 7 in - N14W26  
 77.34 Get a post on the N.P. boundary 170 links E.  
 of Sec. cor. from which a  
 Sign 25 N36W.13  
 Buck 14 N45W5  
 Same as same

T. N. 8 N. R. N. 17. 2<sup>nd</sup> Sec. Twp. (Ind.?)

North Between Sec. 34 & 35 T. N. 8 N. R. N. 17.  
 17.00 To a Brook 12 miles wide; course S.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Buck 8 m. in bears N 13 E. 13 miles dist; & a  
 Do 18 " " " S 23 W. 30 " "  
 80.00 Set a post for the cor. to Sec. 26, 27, 34 & 35 from which  
 an Oak 6 m. in bears East 15 miles dist; & a  
 Do 8 " " " N 59 E. 19 " "  
 Same kind timber & v same as the last mile.

East On a Run line between Sec. 26 & 35 T. 8 N. R. N. 17.  
 1.00 To a Brook 10 miles wide; course S. W.  
 40.00 Set a temporary post for the cor. to 1/4 sec.  
 79.80 Intersected the N & S line 10 miles S of the cor for  
 Sec. 25, 26, 35 & 36. Same kind timber & v same

West On a true line between Sec. 26 & 35 T. 8 N. R. N. 17.  
 39.90 Set the temporary post for the cor. to 1/4 sec. at the  
 aver. dist on the true line. From which a  
 Sugar 10 m. in bears S 68 W. 17 miles dist; & a  
 Buck 17 " " " S 37 E. 12 " "  
 49.80 To the post for the cor. to Sec. 26, 27, 34 & 35

North Between Sec. 26 & 27 T. N. 8 N. R. N. 17.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Sugar 10 m. in bears S 4 E. 20 miles dist; & a  
 Buck 12 " " " N 31 W. 5 " "  
 80.00 Set a post for the cor. to Sec. 22, 23, 26, 27. From  
 which a Hickory 18 m. in bears S 35 E. 15 miles dist;  
 and a Dogwood 5 " " " N 82 W. 4 " "  
 Same same as on the last mile.

East Between Sec. 23 & 26 On a Run line T. N. 8 N. R. N. 17.  
 40.00 Set a temporary post for the cor. to 1/4 sec.  
 49.75 Intersected the N & S line 47 miles S of cor to Sec.  
 23, 24, 25, & 26. Same the same

## T. N. 8 N. R. No. 177, 2nd Mer. (Ind.)

West Between Sec. 23 & 26 On a true line: T. N. 8 N. R. No. 177  
 39.87 $\frac{1}{2}$  Set the timber post at the corner. Mark on the true  
 line for the cor. to  $\frac{1}{4}$  sec. from which a  
 Sugar 8 in. dia beam S 27 $^{\circ}$  W. 24 links north; 10  
 10 10 n n n N 22 $^{\circ}$  W 20 n n  
 79.75 To the post set for the cor. 22, 23, 26, 27.

---

North Between Sec. 22, & 23 T. N. 8 N. R. No. 177.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Buck 10 in dia beam S 37 $^{\circ}$  E. 6 links north; 10  
 N 18 $^{\circ}$  W 15 n n  
 80.00 Set a post for the cor. of sec. 14, 15, 23, & 24  
 from which a Buck 6 in dia beam N 82 $^{\circ}$  E. 10 links  
 north; 12 Sugar 18 n n n N 11 $^{\circ}$  W. 30 n  
 n Same same as the last one.

---

East On a true line between Sec. 14 & 23 T. 8 N. R. No. 177.  
 40.00 Set a timber post for the cor. to  $\frac{1}{4}$  sec.  
 79.80 Introduced N & S line 12 links N of the post set  
 for the cor. to sec. 13, 14, 23, 24.  
 Same line timber to same as the last one.

---

West Between Sec. 14 & 23 On a true line T. N. 8 N. R. No. 177  
 39.90 Set the timber post at the corner. Set on the true line  
 for the cor. to  $\frac{1}{4}$  sec. from which a  
 Buck 6 in. dia beam S 87 $^{\circ}$  E. 7 links north; 10  
 10 10 n n n N 87 $^{\circ}$  W 24 n n  
 79.80 To the cor. of sec. 14, 15, 23, & 23.

---

North Between Sec. 14 & 15 T. N. 8 N. R. No. 177  
 10.00 To a B. wood 8 links north; Corner West.  
 31.50 n n n 10 n n n n  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Sugar 8 in. dia beam S 34 $^{\circ}$  E. 16 links north; 10  
 10 10 n n n N 46 $^{\circ}$  W. 6 n n  
 80.00 Set a post for the cor. to sec. 10, 11, 14, & 15



T. No. 8 N.R. No. 1 E. 2<sup>nd</sup> Mer. Sec. 2

Just set for the cor. to Sec. 1, 2, 11, 12.

Land & timber same as on the last mile;

West On the true line between Sec. 2 & 11. T. No. 8 N.R. No. 1 E.  
 40.00 Set the temporary post at the cor. dist; in the true  
 line for the cor. to 1/4 sec. from which a  
 Beech 12 in. dia bears N 45 W. 6 links dist; & a  
 Do 10 " " " N 9 W. 13 " "  
 50.10 To the post set for the cor. to Sec. 2, 3, 10, & 11

North Between Sec. 2 & 3. T. No. 8 N.R. No. 1 E.  
 40.00 Set a post for cor. to 1/4 sec. from which a  
 Beech 18 in. dia bears N 18 W. 9 links dist; & a  
 Do 8 " " " N 29 E. 15 " "  
 45.80 Set a post on the N. 73<sup>rd</sup> meridian (309 links E.  
 of the cor. to Sec. 34, 35 T. No. 9 N.R. No. 1 E.)  
 from which a Sugar 12 in. dia bears N 60 E. 17 links  
 dist; & a Do 10 " " " N 80 W. 27 "  
 ~ Land & timber same as on the last mile.

North Between Sec. 33, 34 T. No. 8 N.R. No. 1 E.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Hickory 12 in. dia bears S 34 W. 22 links dist; & a  
 Poplar 4 " " " N 80 W. 9 " "  
 80.00 Set a post for the cor. to Sec. 27, 28, 33, 34  
 from which a Beech 8 in. dia bears N 81 E. 26 links  
 and a Do 8 " " " N 72 W. 14 " "  
 Land rolling; timber, walnut, sugar, Beech, Oak  
 & Hickory

East On a Random line between Sec. 27 & 34 T. No. 8 N.R. No. 1 E.  
 40.00 Set a temporary post for the cor. to 1/4 sec.  
 80.00 Intersect the N. & S. line at the post set for the  
 cor. to Sec. 26, 27, 34, & 35  
 Land & timber same as on the last mile.

## T. N. 8 N. R. No. 1 W. 2nd Mer. (Ind.)

West On the true line between Sec. 27, 28 & 34 T. 8 N. R. 1 W.  
 40.00 Set the temporary post at the corner with in the true line  
 for the cor. to 1/4 sec. from which a  
 Buck 29 mi. air bears S 8 E 28 miles dist; & a  
 Sugar 8 " " " S 87 W 24 " "  
 80.50 To the cor. of sec. 27, 28, 33, & 34.

---

North Between Sec. 27, 28 T. N. 8 N. R. No. 1 W.  
 26.00 To a Spring: 77.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Sugar 5 mi. air bears S 27 W 18 miles dist; and a  
 Buck 4 " " " N 36 E 22, " "  
 80.00 Set a post for the cor. to sec. 21, 22, 27, 28. from  
 which a Buck 5 mi. air bears N 26 W 6 miles dist;  
 and a Do 10 " " " S 27 E 26 " "  
 Sand soil timber & same as on the line

---

East On a Random line between Sec. 22, 27 T. N. 8 N. R. No. 1 W.  
 40.00 Set a temporary post for the cor. to 1/4 sec.  
 80.12 Then set the N 18 line 10 miles South of the post  
 set for the cor. to sec. 22, 23, 26, & 27  
 Sand timber & same as on the last mile.

---

West On a true line between Sec. 22, 27 T. 8 N. R. No. 1 W.  
 40.06 Set the temporary post at the corner with in the true  
 line for the cor. to 1/4 sec. from which a  
 Oak 30 mi air bears N 35 E 30 miles dist; & a  
 Ash 15 " " " S 12 E 30 " "  
 80.10 To the cor. 21, 22, 27 & 28.

---

North Between Sec. 21 & 22 T. N. 8 N. R. No. 1 W.  
 30.07 To a Brook 15 miles wide; course S. W.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Sugar 12 mi air bears S 62 W 13 miles dist; & a  
 Buckeye 10 " " " N 57 W 25 " "  
 61.00 To a Brook 6 miles wide; course E.

T. N. S. N. R. No. 177. 2<sup>nd</sup> Mal. (Ind.?)

80.00 Set a post for the cor to Sect. 15, 16, 21, & 22  
 from which a Buck 20 mi. air base N15 E. 5  
 miles ash; & a 100 20 a ~ ~ ~ N81 E. 30  
 ~ ~ Sande a little nodding into ash; Timber  
 Poplar, ash, Elm & Gum

East On a Random line between Sect. 15 & 22 T. N. S. N. R. 177.

7.00 To a Brook 6 miles wide; Course S.

16.00 " " " 30 a ~ ~ ~ "

40.00 Set a temporary post for the cor to 1/4 sec.

80.00 Intersected the N & S line 10 miles S. of the post  
 set for the cor. 14, 15, 22, 23

Sande soil timber &c same as the last mile.

West On the true line between Sect. 15 & 22 T. N. S. N. R. 177.

40.00 Set the temporary post at the aver. ash; on the true line  
 for the cor. to 1/4 sec. From which a Sugar 9 mi. air  
 base N76 W. 10 miles ash; & a No. 8 a ~

~ N15 E. 7 ~ ~

80.00 To the post set for the cor to Sect. 15, 16, 21, & 22

North Between Sect. 15 & 16 T. N. S. N. R. No. 177.

40.00 Set a post for the cor to 1/4 sec. From which a  
 Buck 10 mi. air base N27 W. 19 miles ash; & a  
 No. 10 a ~ ~ ~ N100 E. 30 ~ ~

63.00 To a Buck 12 mi. air in the line.

80.00 Set a post for the cor to Sect. 9, 10, 15, 16. From  
 which a Buck 8 mi. air base N60 W. 15 miles ash  
 and a No. 18 a ~ ~ ~ N57 E. 17 ~ ~  
 Sande soil timber &c same as on the last mile

East On a Random line between Sect. 10 & 15 T. N. S. N. R. 177.

35.00 To a Brook 7 miles wide; Course S.E.

40.00 Set a temporary post for the cor. to 1/4 sec.

41.50 To a Brook 10 miles wide; Course S.

79.70 Intersected the N & S line 11 miles N of cor to Sect.

T. No 8 N.R. No 1-7. Small Run. (Ind. a.)

10. 11. 14. 15 Same as on the last mile

West On a true line between Sec. 10 & 15 T. No 8 N.R. No 1-7.  
 39.88 Set a temporary post at the cross ditch on the true line  
 for the cor. to 1/4 sec. from which a  
 Buck 10 in. dia beam S 77 N. 15 linked ditch; & a  
 Sugar 4 in. dia beam N 31 E. 15 in. beam  
 79.76 To the cor. of sec. 9. 10. 15. & 16.

North Bottom Sec. 9 & 10. T. No 8 N.R. No 1-7.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Buck 8 in. dia beam S 48 N. 15 linked ditch; & a  
 Sugar 8 in. dia beam N 9 E. 15 in. beam  
 54.50 To a Buck 18 in. dia beam stands in the line  
 80.00 Set a post for the cor. to sec. 3. 4. 9. 10 from which  
 a Buck 8 in. dia beam N 52 E. 7 linked ditch; & a  
 Ho 5 in. dia beam S 20 N. 21 in. beam  
 Same timber set & c same as on the last mile

East On a Random line between Sec. 3 & 10. T. No 8 N.R. No 1-7.  
 40.00 Set a temporary post for the cor. to 1/4 sec.  
 58.00 To a Buck 10 in. dia beam; course South.  
 79.66 Intersected the NPS line 22 miles North of the  
 post set for the cor. to sec. 2, 3, 10, 11.  
 Same timber set & c same as on the last mile.

West On a true line between Sec. 3 & 10 T. No 8 N.R. No 1-7.  
 39.83 Set the temporary post at the cross ditch on the true line  
 for the cor. to 1/4 sec. from which a Buck 4 in. dia  
 beam S 46 E. 34 linked ditch; and a Ho 6 in. dia  
 beam S 18 N. 32  
 79.66 To the cor.

North Bottom Sec. 3 & 4 T. No 8 N.R. No 1-7.  
 40.00 Set the post for the cor. to 1/4 sec from which a  
 Poplar 6 in. dia beam S 5 E. 7 linked ditch; and a

## T. No 8 N.R. No 177. 2nd Mer. (Ind. a)

- Back 4 mi. via bears S 77 E. 11 miles west;  
 48.50 To a Wash 30 mi. via stands in the line  
 74.50 Got a post on the N. 7 Ponds (4 3/4 miles East of  
 the post for cor. to sec. 33, 34 T. No 9. N.R. 177)  
 from which a Back 30 mi. via bears N 20 W. 28  
 miles west; to a Sec. 15 a - - N 30 E. 26  
 a - - Lands old timber & same

- North 7 Ponds Sec. 32, 33. T. No 8 N.R. No 177.  
 17.50 To a Spring. Course W.  
 40.00 Got a post for the cor. to 74 Sec. from which an  
 Elm 12 mi. via stands for the cor.  
 57.50 To a Spring 7 Ponds 6 miles Course W.  
 80.00 Got a post for the cor. to sec. 28, 29, 32, 33 from  
 which a Sugar 12 mi. via bears S 88 E 32 the dist;  
 and an Elm 18 a - - S 55 W. 14 a -  
 Lands the same as the last mile.

- East 7 Ponds Sec. 28 & 33. On a Random line T. No 8  
 N.R. No 177.  
 20.00 To a Brook 4 miles wide; Course N.  
 40.00 Got a temporary post for the cor. to 74 Sec.  
 70.50 To a Brook 10 miles wide; Course N.  
 80.00 Intersected the N. & S line 28 miles North of the post  
 set for the cor. to sec. 27, 28, 33, & 34.

- West On a true line between Sec. 28 & 33. T. No 8 N.R. No 177.  
 40.00 Got the temporary post at the avor. east on the true line  
 for the cor. to 74 Sec. from which a W. Oak 8 mi. via  
 bears N 82 E. 22 miles west; to a Back 8 a -  
 a - - N 53 E. 12 a - -  
 80.00 To the post for cor. to sec. 28, 29, 32 & 33.

- North 7 Ponds Sec. 28 & 29 T. No 8 N.R. No 177.  
 7.50 To a Brook 12 miles wide; Course S. W.  
 40.00 Got a post for the cor. to 74 Sec. from which an



## T. No 8 N.R. No 1 W. 2nd Mer. (Sud.)

15. 16, 21, &amp; 22 Same as the last mile

West On a true line between Sep. 16, & 21 T. No 8 N.R. 1 W.  
 40.00 Get the temporary post at the aver. dist on the true line  
 for the cor to 1/4 sec. From which a Buck 5 mi.  
 dia bears N 31 E. 4 miles dist; & ca dist 5 ~  
 ~ ~ ~ ~ ~ S 60 W 11 ~ ~  
 80.00 Get the post for the cor to Sep. 16, 17, 20, & 21

North T. Between Sep. 16, & 17.  
 10.00 To a Brook 15 miles dist; course S. W.  
 40.00 Get a post for the cor. to 1/4 sec. from which a  
 Buck 36 mi. dia bears N 57 W. 23 miles dist;  
 & Sugar 15 ~ ~ ~ ~ ~ S 30 E 6 ~ ~  
 52.00 To a Brook 10. course E.  
 80.00 Get a post for the cor to Sep. 8, 9, 16, & 17. from  
 which a Buck 10 mi dia bears S 63 E. 28 miles  
 dist; & Sugar 15 ~ ~ ~ ~ ~ S 49 W 9 ~ ~  
 ~ ~ ~ ~ ~ Same as the last mile.

East On a Random line between Sep. 9, & 16.  
 12.00 To a Brook 10 course S. W.  
 32.50 ~ ~ ~ ~ ~ 8 ~ ~ ~ ~ ~ S. W.  
 40.00 Get a temporary post for the cor to 1/4 sec.  
 80.00 Intersect the N. P. S. at the cor for Sep. 9, 10, 15 &  
 16. Same as the last mile.

West T. Between Sep. 9, & 16 On a true line  
 40.00 Get the temporary post at the aver. dist on the true  
 line for the cor to 1/4 sec. From which a  
 W. Oak 15 mi. dia bears S 57 W. 7 miles dist; & ca  
 Sugar 12 ~ ~ ~ ~ ~ N 23 W. 26 ~ ~  
 80.00 Get a post for cor to Sep. 8, 9, 16, 17.

North T. Between Sep. 8 & 9  
 40.00 Get a post for the cor. to 1/4 sec. from which a





T. N. S. H. P. No. 177. 2nd Mile. (Sud. 2)

dist out; Soud the same as on the last mile.

East On a Random line between Sep. 24 & 29  
 40.00 Get a trap for the cor. to 1/4 Sec  
 54.50 To a Brook 30 miles wide; Course S. W.  
 78.62 Intersected the N & S line at Sec. cor.  
 Soud the same as on the line.

West On the true line between Sep. 20 & 29  
 39.31 Get the trap for the cor. at the aver. dist; on the true  
 line for the cor. to 1/4 Sec. from which a  
 N 15 mi dia bears N 67 E 10 miles dist; to  
 Sugar 5 a a a N 63 W 22 a a  
 78.62 Sec. corner

North Between Sep. 19 & 20  
 40.00 Get a post for the cor. tipped. from which a  
 Sugar 10 mi dia bears N 45 W. 8 miles dist; to  
 L 15 a a a N 44 E 28 a a  
 80.00 Get a post for the cor. to Sep. 17, 18, 19, 20.  
 from which a Brook 12 mi dia bears N 49 W 46.  
 a a a a a N 38 E 25  
 Soud the same as on the last mile.

East Between Sep. 17 & 20 On a Random  
 1.00 To a Brook 12 miles wide; Course S.  
 40.00 Get trap for post for the cor. to 1/4 Sec.  
 72.00 To a Brook 20 miles wide; Course S. W.  
 78.40 Intersected the N & S line 12 miles N of the cor  
 Soud the same

West On a true line between Sep. 17 & 20  
 39.20 Get the trap for post at the aver. dist. on the true  
 line for the cor. to 1/4 Sec. from which a  
 Brook 30 mi dia bears N 47 E. 18 miles dist; to  
 Sugar a a a N 39 W 19 a a

T. N. 8 N. R. N. 1 W. 2<sup>nd</sup> Mer. (Ind. 2)

78.40 To the first set for the cor. to sec. 17, 18, 19 &amp; 20

North Between Sec. 17 &amp; 18 T. N. 8 N. R. 1 W.

10.00 To a Barole 12 limbs wide Conca 4.77

40.00 Got a post for the cor. to 1/4 sec. from which a  
Sugar 15 in. dia bears N 57 E. 11 limbs dist; & a  
Buck 8 " " " S 83 W 09 " "80.00 Got a post for the cor. to sec. 7, 8, 17, 18. T. N. 8  
N. R. N. 1 W. from which a

Sugar 8 in dia bears N 49 W. 4 limbs dist; &amp; a

Ho 4 " " " N 47 E. 18 " "

Sands, soil, timber &amp; so forth same as on the last mile;

East On a Random line between Sec. 5 &amp; 8. T. 8 N. R. 1 W.

40.00 Got a temporary post for the cor. to 1/4 sec

79.71 Intersected the N. S. line 65 limbs N. of sec. cor for  
4, 5, 8, 9.

West On a true line between Sec. 5 &amp; 8. T. N. 8 N. R. 1 W.

39.85 1/2 Got the temporary post at the air dist; on the true  
line for the cor. to 1/4 sec. from which a

Sugar 15 in. dia bears N 24 W. 17 limbs dist; &amp; a

W. Walnut 30 " " " S. 2 E. 46 " "

79.71 To the first set for the cor. to sec. 5, 6, 7, 8.

North Between Sec. 5 &amp; 6 T. N. 8 N. R. N. 1 W.

40.00 Got the post for the cor. to 1/4 sec. from which a  
Sum 5 in. dia bears S 5 W. 15 like dist; and a

Ho 12 " " " S 68 W 13 " "

73.56 Intersected the N. T. boundary 280 limbs E. of the  
cor for sec. 31, 32 T. N. 9 N. R. N. 1 W. from which

Sugar 12 in. dia bears S 85 W. 10 limbs dist; &amp; a

Buck 5 " " " N 72 E. 13 " "

Sands, soil, timber same as on the last mile;

West Between Sec. 6 &amp; 7. T. N. 1 W.

East On a Random line between Sec. 8 & 17 T. N. 8. R. 17 W  
 40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec.  
 79.30 Intersected the N. 1/2 line 36 miles South of the post  
 Set for the cor. to Sec. 8, 9, 16, & 17  
 Same soil and timber same as on the last mile;

West On the true line between Sec. 8 & 17 T. N. 8. R. 17 W  
 39.65 Set the temporary post at the corner dist on the true line  
 for the cor. to  $\frac{1}{4}$  sec. from which a  
 Sugar 8 in dia. trees 176 W. 14 miles dist; 8  
 Do 5 " " " " 184 E. 18 " "  
 79.30 To the post set for the cor. to Sec. 7, 8, 17, 18.

North Between Sec. 7 & 8. T. N. 8. R. 17 W  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 W. Oak 18 in dia. trees 19 W. 16 miles dist;  
 W. Oak 24 " " " " 42 W. 11 " "  
 74.50 To a Brook 20. miles wide; Course East  
 80.00 Set a post for the cor. to Sec. 5, 6, 7, & 8 from which  
 a Sugar 12 in dia. trees 68 W. 25 miles dist; 5  
 Do 8 " " " " 70 E. 10 " "  
 Same soil and timber same as in the last mile.

T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 1 W. 2<sup>nd</sup> Mer. (Qua.)

40.00 Set a post for the cor. to 1/4 sec. from which a Sugar 8 in. dia. bears S 12 E. 21 links dist; & a Buck 18 n n n N 61 W 40 n n

64.00 To a Brook 10 links wide; corner S. E.

51.70 Intersected the W. Boundary 26. links N. of the cor. to sec. 1 & 12 T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 2 W. & set a post for the cor. to sec. 6 & 7. from which a Hickory 10 in. dia. bears S 9 W. 17 links dist; & a Logwood 3 n n n N 55 E 12 n n  
Same soil and timber same as on the last mile

West On a true line between Sec. 7 & 18 T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 1 W.

30.00 To a Brook 15 links wide; corner S.

40.00 Set a post for the cor. to 1/4 sec. from which a Sugar 10 in. dia. bears S 11 E. 16 links dist; & a Hickory 10 n n n N 54 W 35 n n

70.00 To a W. Oak; 15 in. dia. stands in the line.

81.97 Intersected the W. Boundary of T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 1 W 196 links South of the post set for the cor. to sec. 12 & 13. T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 2 W. & set a post from which a Sugar 15 in. dia. bears S 5 E. 6 links dist; & a Logwood 2 n n n N 17 W. 5 n n  
Same the same as in the last mile.

West On the true line between Sec. 18 & 19. T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 1 W.

40.00 Set a post for the cor. to 1/4 sec. from which a Buck 15 in. dia. bears N 54 W. 11 links dist; & a Ho 8 n n n S 24 E 18 n n

83.40 Intersected the West. Boundary of T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 1 W at the post set for the cor. to sec. 13 & 24. T. N<sup>o</sup> 8 N. R. N<sup>o</sup> 2 W.

West On a true line between Sec. 19 & 30. T. N<sup>o</sup>

40.00 Set a post for the cor. to sec. from which a Buck 18 in. dia. bears East 12 links dist; & a

T. No 8 N. R. No 1 W. 2<sup>nd</sup> Mer. (Ind.)

W. Oak 18 in. dia bears N48 W. 10 links dist; ~~to~~  
 84.00 Intersected the N. Boundary of T. No. 8 N. R. No. 1 W  
 42 lks South of the first set for the cor. to Sec.  
 24 & 25 T. 8 N. R. 2 W. and set a post for the  
 cor. to Sec. 19 & 30 T. No. 8 N. R. No. 2 W. from  
 which a Sugar 10 in. dia bears N32 W. 3 lks dist;  
 and a Do 8 " " " S 77. 20 " "  
 Sandstone as in the last mile;

West On a true line between Sec. 30 & 31.

40.00 Set a post for the cor. to 1/4 sec from which  
 a Sugar 10 in dia bears S83 E. 9 links dist  
 & a Buck 10 " " " N83 W. 14 " "

41.00 To a Brook. (Spring) Course S.

49.00 To a Brook 20 in. dia. Course S. E.

83.00 Intersected the N. Boundary of T. No. 8 N. R. No.  
 1 W. 2<sup>nd</sup> Mer. 31 links S. of the post the post  
 set for the cor. to Sec. 25 & 36 T. No. 8 N. R. No.  
 2 W. & set a post for the cor. to Sec. 30 & 31. T.  
 No. 8 N. R. No. 2 W. from which a  
 Buck 10 in. dia bears N68 E. 11 links dist; & a  
 Do 8 " " " N16 E. 16 " "  
 Sandstone timber to same as in the last mile.

Surveyed by  
 Arthur Henric Ad

I certify that the foregoing transcript of the field notes  
 of Township No. 8 North of Range No. 1 West of the 2<sup>nd</sup>  
 Mer. Indiana has been compared with the Original  
 notes in this Office and found to be correct.

Surveyor General's Office,

Cincinnati Nov. 14. 1839

E. S. Leary  
 Sur. Genl.